
Identifying Common Reliability/Stability Problems Caused by File Fragmentation

Introduction

An Overview of the Problem

Reliability and Stability Issues Traceable to File Fragmentation

- A. CRASHES AND SYSTEM HANGS**
- B. SLOW BACK UP TIMES AND ABORTED BACKUP**
- C. FILE CORRUPTION AND DATA LOSS**
- D. BOOT UP ISSUES**
- E. ERRORS IN PROGRAMS**
- F. RAM USE AND CACHE PROBLEMS**
- G. HARD DRIVE FAILURES**

Contiguous Files = Greater Uptime

Introduction

Over the years, numerous manufacturers, third party analysts and labs have reported on the effects of disk/file fragmentation on system speed and performance. Defragmentation has also gained recognition for its critical role in addressing issues of system reliability and improved uptime, particularly since Microsoft's decision to include a defragmentation utility in the Windows® 2000 and 2003/XP operating systems (one did not exist in the NT® 4 OS).

In this white paper, we explain some of the most common reliability and downtime phenomena associated with fragmentation, and the technical reasons behind them. This includes a discussion of each of the most common occurrences documented by our R&D labs, customers (empirical results presented), as well as others, in recent years.

At the end of this report, there is a short bibliography providing links to each reference paper or Knowledge Base article quoted.

An Overview of the Problem

Having all program and data files stored in contiguous form on the hard drive is a key factor in keeping a system stable and performing at peak efficiency. Though unavoidable, the moment a file is broken into pieces and scattered across a drive, it opens the door to a host of stability/reliability issues. Having just a few key files fragmented can lead to crashes, conflicts and errors.

The principle of fragmentation's impact on system or application reliability is the *timing-out of a requestor or service provider in collecting/reassembling fragmented data*. This principle holds true for both IP datagram¹ fragmentation and file/disk fragmentation.

Many system and application breakage points can be defined as "exerted stress on buffers to the point of overflow/overrun". DoS attacks are well documented examples of exploiting IP datagrams, but far less information abounds for reliability considerations in the case of file objects. A good overview of the affect of stress when requesting file objects comes from a Microsoft® Knowledge Base article which states "The Server service cannot process the requested network I/O² items to the hard disk quickly enough to prevent the Server service from running out of resources."

Disk fragmentation is often the "straw that broke the camel's back" when noting issues of stability or reliability. Stressed I/O activity, *compounded* by fragmentation can expose faulty device drivers or file filters that may otherwise operate effectively (in non-fragmented environments). The reliability of third party applications is highly dependent on the degree to which those applications can accommodate bottlenecks, such as in disk subsystems.

The point at which application or system stability is compromised is difficult, if not impossible, to calculate. It is a combination of hardware and software and operations at

¹ IP Datagram is the fundamental unit of data transmitted across internetworks using the Internet Protocol (IP).

² I/O is shorthand for Input/Output; which refers to data transfer between devices in a computer system. An adjective such as *network* or *disk* may prepend "I/O" to specify a particular device type.

the moment of instability. A poorly written driver or file filter can be exposed in some environments but not in others, and the amount of fragmentation required to reach “critical mass” on a specific file or files, will vary greatly upon all the other variables involved.

This issue can be exemplified by better understanding asynchronous I/O³. Example: a Win32 application creates either an I/O completion port⁴, executes an overlapping completion routine⁵, or calls WaitForSingleObject / WaitForMultipleObjects⁶ APIs at the time of thread creation. In any case where the wait state is exceeded (e.g. queued I/O is paged to disk), a failure can occur. As suggested, low available memory (non-paged pool) can exacerbate failures as it re-introduces the physical disk into the equation. In lieu of failures, extended queuing/waiting and proper exception handling can mitigate issues, at the expense of lower performance (operations take longer) for the application, or increased system resource requirements.

“The problem we were having was the server would get so busy that it would stop processing I/O requests and network traffic would just hang. Working with Microsoft and Compaq we concluded it was due to fragmentation. When we installed Diskeeper® it resolved the problem overnight.” -Mike N, System Administrator, John Deere

Failure to routinely address or understand fragmentation and its role in helping to cause these problems, results in increased IT staff workloads attempting to troubleshoot and identify the source of problems. This frequently leads to such common and often unnecessary actions as reinstalling software, re-imaging of hard drives, expensive replacement of hardware, an unnecessary “work-around”, as well as overwork at the Help Desk. Forcing IT to work reactively on problems, increases IT costs and adversely affects user productivity due to unacceptable levels of downtime.

Reliability and Stability Issues Traceable to Disk Fragmentation

The most common problems caused by file fragmentation are:

- a) Crashes and system hangs/freezes
- b) Slow boot up and computers that won't boot up
- c) Slow back up times and aborted backup
- d) File corruption and data loss
- e) Errors in programs
- f) RAM use and cache problems
- g) Hard drive failures

³ Asynchronous I/O exists to compensate for variables that may prevent or eliminate the possibility of synchronous I/O (e.g. I/O is much slower than data processing). The alternative to handling I/O asynchronously, which generally offers lower performance, is to “block” other I/O.

⁴ http://msdn.microsoft.com/library/default.asp?url=/library/en-us/fileio/fs/i_o_completion_ports.asp

⁵ <http://windowssdk.msdn.microsoft.com/library/default.asp?url=/library/en-us/dllproc/base/getoverlappedresult.asp>

⁶ <http://msdn.microsoft.com/library/default.asp?url=/library/en-us/dllproc/base/waitformultipleobjects.asp>

A. CRASHES AND HANGS

There are many documented cases of errors and crashes on Windows and third party applications caused by fragmentation. These types of errors include but are not limited to system hangs, time outs, failure to load, failure to save data and in worse case blue-screens (where fragmentation aggravates flawed device drivers).

Perhaps the most prevalent of these circumstances in modern systems is the Event ID 2021 and 2022 errors found on systems hosting data.

Event ID: 2021

Source: Srv

Description: Server was unable to create a work item *n* times in the last *seconds* seconds.

Event ID: 2022

Source: Srv

Description: Server was unable to find a free connection *n* times in the last *seconds* seconds.

In such circumstance the client requesting the data will return related errors along the lines of Event ID 3013 or status code 1450.

Event ID: 3013

Source: Rdr

Description: The redirector has timed out to *computer name*.

It is important to note that in a corporate IP network bottlenecks may be incorrectly advertised or diagnosed as a network related bottlenecks. In reality these bottlenecks often exist in the disk subsystem on a remote system. The specification of Windows file sharing services (CIFS)⁷ is such that file requests (supposedly only "valid" ones) will time out as the reliability of the network is a variable that might otherwise cause undue and unnecessary wait requests (should a client be disconnected). In reality extended waits can be interpreted as dropped client connections.

An important clue to investigating fragmentation as a potential or lead contributor to reliability issues are when recommendations are made (by a support article or support engineer) to measure the following Physical Disk Counters related to Disk I/O:

- Average Disk Queue Length
- Average Disk Read Queue Length
- Average Disk Write Queue Length
- Average Disk Sec/Read
- Average Disk Sec/Transfer
- Average Disk Writes/Sec
- Split I/Os

MS TechNet article from the Microsoft Windows 2000 Professional Resource Kit in Chapter 30 "Examining and Tuning Disk Performance" notes *defragmentation* as a primary solution to resolving disk bottlenecks such as those identified by the above detailed Physical Disk counters.

⁷ Common Internet File System is the file sharing protocol. It is an Application layer (OSI layer 7) protocol. More info: <http://www.microsoft.com/mind/1196/cifs.asp>

In Microsoft Support article 822219 "**You experience slow file server performance and delays occur when you work with files that are located on a file server**" it notes "Use Performance Logs and Alerts to monitor the *Avg. Disk Queue Length* counter of the *PhysicalDisk* performance object."

Below is a list of symptoms noted relevant to that article:

- A Windows-based file server that is configured as a file and print server stops responding and file and print server functionality temporarily stops.
- You experience an unexpectedly long delay when you open, save, close, delete, or print files that are located on a shared resource.
- You experience a temporary decrease in performance when you use a program over the network. Performance typically slows down for approximately 40 to 45 seconds. However, some delays may last up to 5 minutes.
- You experience a delay when you perform file copy or backup operations.
- Windows Explorer stops responding when you connect to a shared resource or you see a red X on the connected network drive in Windows Explorer.
- You receive an error message similar to one of the following messages when you try to connect to a shared resource:
 - Error message 1**
System error 53. The network path was not found.
 - Error message 2**
System error 64. The specified network name is no longer available.
- You are intermittently disconnected from network resources, and you cannot reconnect to the network resources on the file server. However, you can ping the server, and you can use a Terminal Services session to connect to the server.
- If multiple users try to access Microsoft Office documents on the server, the **File is locked for editing** dialog box does not always appear when the second user opens the file.
- A network trace indicates a 30 to 40 second delay between an SMB Service client command and a response from the file server.
- When you try to open an Access 2.0 database file (.mdb file) in Microsoft Access 97, in Microsoft Access 2000, or in Microsoft Access 2002, you may receive an error message that is similar to the following:
 - Disk or network error.
- When you try to open a Microsoft Word file, you may receive the following error message:
 - Word failed reading from this file *file_name*. Please restore the network connection or replace the floppy disk and retry.
- When you log on to the file server, after you type your name and password in the **Log On to Windows** dialog box, a blank screen appears. The desktop does not appear.
- A program that uses remote procedure call (RPC) or uses named pipes to connect to a file server stops responding.

Support Article ID 245077 provides an explicit description of resolving Event ID 2022 through defragmentation. It states, "This problem occurs because a request was made to grow a file and the disk is fragmented or is nearly full. This causes the free space search to take an extremely long time. This request holds system-level locks that are needed for other requests to complete. The Server service resource task is pended as well, which causes Event ID 2022."

"Our DNA Array analysis system creates and removes thousands of temporary files. As a result, a couple of months into the use of this system caused it to

crash almost daily. The addition of Diskeeper has resolved the stability problems.” -Andrew M., IS Supervisor, Medical College of Wisconsin

This means that fragmentation can slow down I/O to the point where programs and processes cease to function entirely. With files scattered throughout the disk in many pieces, they are unavailable to the system when needed and a crash/hang takes place.

B. SLOW BACK UP TIMES AND ABORTED BACKUP

The window of opportunity to conduct system backups is shrinking. While IT departments used to have twelve or more hours available for backup and maintenance tasks, or even all weekend, with more businesses operating 24 / 7, they are now expected to perform such actions in a significantly shorter time period. Meanwhile, the amount of data to back up is growing exponentially, and compounded by recent regulatory requirements for data archiving.

This combination of circumstances leads to two problems. System administrators report that lengthy backups mean they don't have time for other routine maintenance actions. Alternatively, some backups have to be aborted as they take up too much time and threaten to encroach on the working day. This increases the risk of data loss or non-compliance.

Fragmentation multiplies the amount of time needed to get a backup done. If all files exist in a contiguous state, backup occurs relatively swiftly. Instead, if the files are fragmented, the head has to locate and gather together numerous fragments before they can be consolidated into one piece for back up. It is common for IT departments to report their back up times shrinking, often by several hours per night, after instituting routine defragmentation of all servers and workstations. By consolidating files back into single contiguous pieces before backing them up, a much shorter backup window is required.

"To maintain optimal system performance, companies need to schedule disk defragmentation on a regular basis for all their servers and workstation," said Steve Widen, analyst at International Data Corp (IDC). "Otherwise files can take 10 to 15 times longer to access, boot time can be tripled and nightly backups can take hours longer."

C. FILE CORRUPTION AND DATA LOSS

File corruption and data loss are both immediately traceable to fragmentation. In tests on Windows 2000 and Windows XP, a specially designed utility was utilized to fragment an NTFS volume. Even though the test drive was only 40 percent full, the files themselves were fragmented resulting in the automatic creation of additional MFT records. When attempting to move one contiguous 72 MB file onto that disk, the result was the corruption of everything on the disk.

Why would this occur? The presence of excessive file fragments on a disk makes it more difficult for the operating system to function efficiently. When a file is added, large-scale data corruption can result.

Microsoft Support Article 826936 describes how slow hard disks, low memory, low CPU speed, or disabled disk caching (i.e. a bottleneck) contribute to loss of backups and a Volume Shadow Copy Service failure during periods of heavy I/O activity.

Microsoft Support Article 825444 and others related to Microsoft Access, document fragmentation of the database file or structure and recommend disk defragmentation in addition to database compaction and repair procedures.

D. BOOT UP ISSUES

In depth testing by Diskeeper Corporation discovered that a heavily fragmented MFT can almost double the time it takes for a system to boot. Similar tests on boot volumes with file fragmentation showed Bootup slows up to 15%.

Earlier versions of the Windows NT platform were highly susceptible to fragmentation of metadata files, to the extent of black screens and other boot failures. The extent of Support articles related to fragmentation related boot failures in NT 4 exemplifies the affect fragmentation plays in system reliability.

Modern NT-based platforms have improved, but issues still exist. According to Microsoft Support Article 265509 for Windows 2000, "The System hive file is usually the biggest file that is loaded and is likely to be fragmented because it is modified often. If the System hive file is too fragmented, it is not loaded from an NTFS volume, and the computer hangs."

E. ERRORS IN PROGRAMS

Errors also occur when applications are substantially fragmented. As in the previous section, this is related to the sheer size of such applications and the time it takes to physically gather up all of the pieces in order to load properly. In some cases, fragmentation slows down the loading of applications, sometimes significantly. In other cases, the application will time out or freeze.

The guide "Improving .NET Application Performance and Scalability" published by Microsoft, serves to direct architects and developers in the building of .NET applications that meet required performance objectives. In several sections discussing performance they discuss the importance of disk I/O bottlenecks as a factor that to consider in development and in other sections note defragmentation as a solution to improve these bottlenecks.

Microsoft Article 324958 documents a list of actions, including disk defragmentation to optimize SMTP⁸ queues in Microsoft Exchange.

On Microsoft Word 2000, for example, an error message may appear stating: "There are too many edits in this document. This operation will be incomplete. Save your work." (Microsoft KB article Q224029). This is caused by insufficient disk space on the hard disk containing the Windows Temp folder as well as fragmented or cross-linked files.

⁸ Simple Mail Transfer Protocol. It is the most commonly used protocol for server-to-server email messaging over the internet.

CD Writers and other media devices also experience problems caused by fragmentation. Why? Such devices require data to be supplied sequentially in a steady stream. If the associated files are fragmented, this data stream is interrupted as the system struggles to gather together various file fragments. This interferes with the quality of video playback and leads to CD writes aborting. Regular defragmentation heightens the reliability of such devices.

Per Microsoft Support Article 306524, CD recording may fail intermittently. The document lays out several ways to resolve this issue; however, the primary step is to defragment the hard disk containing the data destined for the CD.

Symantec Knowledge Base articles note applications such as Partition Magic, Server Magic (Example error message: "Error 1650 Partition too fragmented to copy or resize") and Ghost are all negatively affected by fragmentation and may subsequently fail at operations.

Video Editing Professionals also acknowledge that disk fragmentation causes dropped frames and poor quality multimedia. A White Paper published by Accurate Vision, Inc., a full service legal video company, concluded "From the tests we conducted as described in this report, we are convinced that drive fragmentation is one of the major culprits that impede the performance, stability and productivity of NLE systems⁹."

F. RAM USE AND CACHE PROBLEMS

Files often become so fragmented that they take a long time to be read into cache. As well as delays, this can lead to system hangs. Similarly, a fragmented paging file creates system stability challenges. "Out of virtual memory" error messages are prevalent, for example, on Domain Controllers and data loss results.

According to Microsoft Support article Q215859, "The pagefile.sys file is either not large enough or is severely fragmented. This may also cause users to experience problems when they attempt to change their password or gain access to the network."

As covered earlier, such memory issues are rooted in the fact that excessive overhead is required to compile files that are scattered around a disk in many pieces. By keeping files consolidated, these memory problems are prevented.

Applications that increase buffers to accommodate for slowed I/O such as that caused by disk fragmentation, inevitably use additional memory to compensate.

G. HARD DRIVE FAILURES

Fragmentation hastens the onset of hard drive failure by increasing the amount of disk head movement. Diametrically, regular defragmentation extends drive longevity. The reason for this is simple. Running a defragmentation program consolidates fragments, minimizing I/O required for future file access activity. The long term effect is reduced total physical disk head movement; the measure used to determine disk lifespan (or Mean Time Between Failure - MTBF).

⁹ Acronym for "Non-Linear Editing System". These systems employ digital editing technology that supports immediate random access to any point within any given multiple media clip.

To demonstrate, consider a file fragmented into one hundred pieces. The disk head has to move one hundred times to access it. If this is occurring every time a file is read or written to disk, the head and associated moving parts are effectively performing 100 times more work than one that is fragment free. Result: more wear and tear on the disk and an earlier failure.

100 pieces per file may be a conservative estimate, however. A study by American Business Research conducted on 100 companies revealed that 56 percent of Windows workstations had files fragmented into between 1050 and 8162 pieces. One in four reported finding files with as many as 10,000 to 51,222 fragments. For servers, an even greater degree of fragmentation exists. Half of the respondents discovered 2000 to 10,000 fragments and another 33 percent had files fragmented into 10,333 to 95,000 pieces.

The early wear and tear is frequently realized in corporate enterprise,

"I have been supporter of having Diskeeper installed on servers as well as workstations. By my recommendation, Texas Dept. of Transportation installed it on all workstations preventing many hard drive crashes. Defragmentation is vital to data integrity and lengthening life of hard drives." -Christopher S., CEO, CSS Media Inc

This precept was documented in a study by IDC highlighting the fact that regular defragmentation enhances performance and lengthens the lifespan of a machine. "It can be considered that defragmentation software can extend the life of a typical workstation," said Widen. "IDC estimates that enterprises can add up to two additional years of life to the normal three-year usable life of workstations."

Contiguous Files = Greater Uptime

Conclusive evidence exists on the issue of file fragmentation being a primary factor in the most common system stability/reliability problems that companies contend with daily. To greatly lessen these problems, advanced daily defragmentation of every server and workstation should be considered high-level, proactive system maintenance.

To do this, easily and cost-effectively, automation and advanced technology are vital. When advanced site-wide defragmentation is fully automated, it represents one of the simplest, yet most effective, system maintenance activities to protect and improve the stability and uptime of an entire network. It's just not possible to manually keep up with the defragmentation demands of more than a handful of machines.

By using advanced, automated defragmentation on a network to minimize Help Desk calls, troubleshooting and other reactive system maintenance demands, there are benefits to a System Administrator that go beyond system stability. There is the additional gain of saving significant time and manpower, allowing IT staff to do more important things and delivering a hard dollar savings to a company.

BIBLIOGRAPHY

IDC White Paper, Reducing Downtime and Reactive Maintenance,

<http://whitepapers.techrepublic.com.com/abstract.aspx?docid=131602&promo=300111> or:
http://files.diskeeper.com/pdf/IDC_Defrag_WhitePaper_2003.pdf

National Software Testing Laboratories' White Paper, System Performance and File Fragmentation,

<http://www.diskeeper.com/whats-new/whitepaper.asp>

Microsoft Support Article 306524, How to Copy Information to a CD in Windows XP,

<http://support.microsoft.com/default.aspx?scid=kb;en-us;306524>

Windows Kernel Internals (I/O Architecture) by David B. Probert, PH.D.; Windows Kernel Development, Microsoft Corporation, <http://www.i.u-tokyo.ac.jp/edu/training/ss/lecture/new-documents/Lectures/06-IOArchitecture/IOArchitecture.pdf>

Microsoft Support Article 826936, Time-out errors occur in Volume Shadow Copy service writers, and shadow copies are lost during backup and during times when there are high levels of input/output,

<http://support.microsoft.com/kb/826936>

Microsoft Support Article 825444 How to troubleshoot fatal system errors in Access 2003 when Access 2003 is running on the Windows 2000 operating system, <http://support.microsoft.com/kb/825444>

OFFXP: Office Stops During Setup: Troubleshooting Steps on Windows XP,

<http://support.microsoft.com/default.aspx?scid=KB;EN-US;Q309191&ID=KB;EN-US;Q309191#XSLTH3212121123120121120120>

Improving .NET Application Performance and Scalability, J.D. Meier, Srinath Vasireddy, Ashish Babbar, and Alex Mackman; Microsoft Corporation,

<http://msdn.microsoft.com/library/default.asp?url=/library/en-us/dnpag/html/scalenetchapt17.asp>

Storage Networking Industry Association, CIFS Technical Reference,

http://www.snia.org/tech_activities/CIFS/CIFS-TR-1p00_FINAL.pdf

Effects of Fragmentation on Reliability, Diskeeper Corporation,

http://files.diskeeper.com/pdf/Effects_of_Fragmentation_on_Reliability.doc

Media Drives and Fragmentation, An Accurate Vision Research & Development Report,

<http://www.accurate-vision.com/articles/fragmentation.htm>

Microsoft Support Article 228734, Windows NT Does Not Boot with Highly Fragmented MFT,

<http://support.microsoft.com/default.aspx?scid=kb;en-us;228734>

Microsoft Support Article 224029, WD2000: Err Msg: "There are too many edits in the document. This operation will be incomplete. Save your work,"

<http://support.microsoft.com/default.aspx?scid=kb;en-us;224029>

Symantec Knowledge Base, Error 1650 Partition too fragmented to copy or resize,

http://service1.symantec.com/SUPPORT/powerquest.nsf/76b08a3dd4dc166e88256e970047cea9/38b681bf5c1f9f2888256e75007c541e?OpenDocument&src=bar_sch_nam&seg=hm

Symantec Knowledge Base, "A problem in Ghost may be caused by a fragmented Master File Table (MFT)",

http://service1.symantec.com/SUPPORT/ghost.nsf/8477deaaaafc102288256b1e00704619/2c37b5723d8e34b988256f1f007231de?OpenDocument&src=bar_sch_nam&seg=hm



7590 N. Glenoaks Blvd. Burbank, CA 91504
800-829-6468 www.diskeeper.com